

Message

From: Rossi, Debra [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=F1AA8EE0AD5E41C5B1D296767097F89E-DROSSI]
Sent: 10/9/2014 7:34:29 PM
To: Doug Sutton (dsutton@hgl.com) [dsutton@hgl.com]
CC: Michael Sherrier (michael.p.sherrier@dupont.com) [michael.p.sherrier@dupont.com]; Susanna Mays [susanna@TrustSC.com]
Subject: DS&G spring 2015 groundwater monitoring

Doug,

As we discussed recently, EPA plans to collect groundwater split samples from several Site monitoring wells for PFC analysis in the spring. In addition to DDA wells C-18D, B-4DR, GA-101, PZ-6S and MHW-1M, we would like to collect split samples from wells P-6 and UPA-02D. In order to minimize the potential for sample contamination, will the Trust make arrangements for Golder to purge and sample these wells with tubing that does not contain Teflon? If that is not possible, I will make arrangements for CDM-Smith to perform the sampling with the recommended equipment.

Thank you.

Debbie

Debra Rossi
Remedial Project Manager
DE, VA, WV Remedial Branch (3HS23)
EPA Region 3
1650 Arch Street
Philadelphia, PA 19103
(215) 814-3228
rossi.debra@epa.gov